

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20050035957").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2006/12/26 09:05
L2	5	"VIA.as"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:05
L3	182	(LIN-CHI-YANG or CHEN-PETER).in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:06
L4	178	(LIN-CHI-Y or CHEN-PETER).in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:06
L5	77	(LIN-CHI-Y\$ or CHEN-PETER-\$).in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:06
L6	441	(LIN-CHI-\$ or CHEN-PETER-\$).in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:06
L7	186	(LIN-CHI or CHEN-PETER). in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:06

EAST Search History

L8	626	3 or 4 or 5 or 6 or 7	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:07
L9	2462841 4	@ad<"20030813" or @ptad<"20030813" or @pt1d<"20030813" or @pt3d<"20030813" or @ptpd<"20030813"	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 09:08
L10	13571	345/1.1,2.1,2.2,3.1,3.2,12,20, 27,42,52,63,77,78,92,94,95, 98,99,100,101,204,208,210, 211,212,214,690.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:51
L12	2682	315/169.1,169.2,364,367,387. ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:58
L13	789595	converter •	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:58
L14	37977	DAC	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:58
L15	229918	digital near analog	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:58

EAST Search History

L16	34896	current adj mirror	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:58
L17	1454	mirror adj ratio	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:58
L18	3328	voltage near calibrat\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:59
L19	20755	reference adj current	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 10:59
L20	1820	current adj route	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:00
L21	5254	mirror adj current	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:00
L23	53332	state adj machine	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:00

EAST Search History

L24	50	(lower\$3 or decreas\$4 or rais\$4 or increas\$4) near (mirror adj ratio)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:01
L25	8144	reference adj (current and voltage)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:01
L26	2208	display near calibrat\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:02
L27	11121	input near resistance	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:02
L28	143	(input near resistance) with (display or monitor)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:03
L29	217261	gray or grey	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:03
L30	3102	("75" adj ohm) or 75ohm	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:03

EAST Search History

L31	113	(input near resistance) near (variation or var\$3)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2006/12/26 11:04
-----	-----	---	--	----	----	---------------------

- 00
12/26/06